

**AMENDMENT TO THE CLAIMS**

Kindly amend the claims, without prejudice, without admission, without surrender of subject matter, and without any intention of creating any estoppel as to equivalents, to read as follows:

1. (Currently amended) A device for forming and/or increasing the relative number of undifferentiated cells in a cell population comprising haematopoietic cells, including committed cells, which device comprises a chamber, means for introducing into said chamber a cell population including committed cells, means for introducing into said chamber an agent capable of increasing the relative number of undifferentiated cells in a cell population, incubation means for incubating said committed cells in the presence of said agent, and mixing means for mixing the agent and the cell population in the chamber, wherein said agent is selected from the group consisting of (a) an antibody that binds to MHC antigens, (b) erythropoietin, and (c) GM-CSF.

2. (Currently amended) A device for forming and/or increasing the relative number of undifferentiated cells in a cell population comprising haematopoietic cells, including committed cells, which device comprises a chamber, means for introducing into said chamber a cell population including committed cells, means for introducing into said chamber an agent capable of increasing the relative number of undifferentiated cells in a cell population,[[,]] and incubation means for incubating said agent and said committed cells, and mixing means for mixing the agent and the cell population in the chamber, wherein said agent is selected from the group consisting of (a) an antibody that binds to MHC antigens, (b) erythropoietin, and (c) GM-CSF.

3. (Currently amended) A device according to claim 1 wherein said device comprises:  
measuring means for measuring the volume of said cell population; and/or  
means for conducting cell counts and for measuring the cell concentration of said cell population; and/or

transfer means for transferring an amount of said cell population from a storage container to said chamber; and/or

transfer means for transferring a pre-determined amount of said cell population from a storage container to said chamber; and/or

calculator means for calculating the volume of agent to be added to the chamber; and/or  
transfer means for transferring a volume of agent to the chamber; and/or

transfer means for transferring a calculated volume of agent to the chamber; and/or  
carbon dioxide control means for controlling the concentration of carbon dioxide in said chamber; and/or

temperature control means for controlling the temperature in said chamber; and/or

mixing means for mixing the cell population and agent within the chamber; and/or

timing means for timing the incubation period; and/or

display means for displaying to the user the remaining time period of the incubation period; and/or

alarm means for alerting the user of completion of the incubation period; and/or

harvesting means for harvesting cells from the chamber; and/or

removal means for removing a sample of cells, comprising undifferentiated cells, from the chamber into a storage container; and/or

sealing means for sealing a storage container comprising a population of cells comprising undifferentiated cells; and/or

communicating means for the device to remotely communicate orders and/or confirm that operations are being or have been performed correctly,

wherein the cell population comprises haematopoietic cells, and

wherein said agent is selected from the group consisting of (a) an antibody that binds to MHC antigens, (b) erythropoietin, and (c) GM-CSF

4. (Canceled)

5. (Original) A device according to claim 3 wherein the means for conducting cell counts is a coulter counter.

6. (Canceled)

7. (Original) A device according to claim 3 wherein the means for conducting cell counts is a cytometer.

8-10. (Canceled)

11. (Original) A device according to claim 3 wherein said transfer means for transferring a volume of agent to the chamber is a syringe driven by a motor.

12. (Canceled)

13. (Original) A device according to claim 3 wherein said transfer means for transferring a calculated volume of agent to the chamber is a syringe driven by a motor.

14. (Canceled)
15. (Original) A device according to claim 3 wherein the harvesting means harvests the undifferentiated cells from the chamber.
16. (Canceled)
17. (Previously presented) A device according to claim 3 wherein the communicating means includes a microprocessor to collect and/or store data pertaining to agent(s) increasing the relative number of undifferentiated cells in a cell population, and/or ordering a supply thereof and/or operations and modem means for transmitting such data.
18. (Canceled)
19. (Previously presented) A device according to any one of claims 1-3 wherein the committed cells are non-cancer cells.
20. (Previously presented) A device according to any one of claims 1-3 wherein the committed cells are differentiated cells.
21. (Canceled)
22. (Previously presented) A device according to any one of claims 1-3 wherein the committed cells are selected from CFC-T cells, CFC-B cells, CFC-Eosin cells, CFC-Bas cells, CFC-GM cells, CFC-MEG cells, CFC-E cells, T cells and B cells.
23. (Previously presented) A device according to any one of claims 1-3 wherein the undifferentiated cells are pluripotent stem cells.
24. (Canceled)
25. (Previously presented) A device according to any one of claims 1-3 wherein the undifferentiated cells are characterised by one or more of the following cell surface marker designations: CD34+, HLA-DR-, CD38-, CD117, AC133, CD90 and/or CD45low.
26. (Previously presented) A device according to any one of claims 1-3 wherein the undifferentiated cells are MHC class I+ and/or MHC class II+ cells.
27. (Canceled)
28. (Currently Amended) A device according to claim ~~[[27]]~~ 2 wherein the ~~receptor~~ antigen is an MHC class I antigen or an MHC class II antigen.
29. (Original) A device according to claim 28 wherein the class I antigen is an HLA-A receptor, an HLA-B receptor, an HLA-C receptor, an HLA-E receptor, an HLA-F receptor or an

HLA-G receptor and said class II antigen is an HLA-DM receptor, an HLA-DP receptor, an HLA-DQ receptor or and HLA-DR receptor.

30. (Currently amended) A device according to claim 29 wherein the ~~receptor~~ antigen is an HLA-DR receptor.

31. (Currently amended) A device according to claim ~~[[27]]~~ 2 wherein the ~~receptor~~ antigen comprises a  $\beta$ -chain having homologous regions.

32. (Currently amended) A device according to claim 31 wherein the ~~receptor~~ antigen comprises at least the homologous regions of the  $\beta$ -chain of HLA-DR.

33. (Canceled)

34. (Currently amended) A device according to claim ~~[[33]]~~ 2 wherein the ~~agent~~ antibody is a monoclonal antibody to the ~~receptor~~ MHC antigen.

35. (Currently amended) A device according to claim ~~[[33]]~~ 2 wherein the antibody is selected from the group consisting of monoclonal antibody CR3/43 and the monoclonal antibody TAL 1B5.

36. (Original) A device according to claim 34 wherein the antibody is selected from the group consisting of monoclonal antibody CR3/43 and the monoclonal antibody TAL 1B5.

37. (Currently amended) A device according to ~~any one of claims~~ claim 2 ~~or 4~~ wherein the agent modulates MHC gene expression.

38. (Original) A device according to claim 37 wherein the agent modulates MHC class I+ and/or MHC class II+ expression.

39. (Currently amended) A device according to any one of claims 1-3~~[[4]]~~ wherein the cell population including committed cells is a buffy coat blood sample or is from a buffy coat blood sample.

40. (Currently amended) A device for forming and/or increasing the relative number of undifferentiated cells in a cell population ~~including~~ comprising haematopoietic cells, which device comprises a chamber, means for introducing into said chamber a cell population including haematopoietic cells, means for introducing into said chamber an agent capable of increasing the relative number of undifferentiated cells in a cell population, incubation means for incubating said committed cells in the presence of said agent, and mixing means for mixing the agent and the cell population in the chamber, wherein said agent is selected from the group consisting of (a) an antibody that binds to MHC antigens, (b) erythropoietin, and (c) GM-CSF.

41. (Currently amended) A device for forming and/or increasing the relative number of cells having a cell surface marker designation CD34+ and/or HLA-DR- and/or CD38- and/or CD117 and/or AC133 and/or CD90 and/or CD45low in a cell population comprising haematopoietic cells, including committed cells, which device comprises a chamber, means for introducing into said chamber a cell population including committed cells, means for introducing into said chamber an agent that operably engages said committed cells, and incubation means operable to incubate said committed cells that are engaged by said agent in said chamber such that the relative number of CD34+ and/or HLA-DR- and/or CD38- and/or CD117 and/or AC133 and/or CD90 and/or CD45low cells increases as a result of said engaging, and mixing means for mixing the agent and the cell population in the chamber, wherein said agent is selected from the group consisting of an antibody that binds to MHC antigens, erythropoietin, and GM-CSF.

42-100. (Canceled)

101. (Currently amended) A device for treating a starting hematopoietic cell population comprising ~~committed~~ haematopoietic cells with an agent capable of increasing the relative number of undifferentiated cells, which device comprises:

- (a) a support hook for attachment of an inlet storage container containing a starting cell population, wherein said inlet storage container is a blood bag.
  - (b) a heated incubation chamber,
  - (c) means for drawing the starting cell population from the inlet storage container into the heated incubation chamber,
  - (d) a refrigerated chamber for insertion of a syringe containing the agent,
  - (e) means for delivering the agent from the refrigerated chamber into the heated incubation chamber,
  - (f) means for mixing the agent and the cell population in the heated incubation chamber,
  - (g) a means for hanging an outlet storage container, wherein said outlet storage container is a blood bag, and
  - (h) means for drawing the treated cell population from the heated incubation chamber into the outlet storage container,
- wherein said agent is selected from the group consisting of (a) an antibody that binds to MHC antigens, (b) erythropoietin, and (c) GM-CSF.

102-103. (Canceled)

104. (Previously presented) A device according to claim 101 wherein the means for drawing the starting cell population from the inlet storage container into the heated incubation chamber comprises a peristaltic pump.

105. (Previously presented) A device according to claim 101 wherein the means for drawing the treated cell population from the incubation chamber into the outlet storage container comprises a peristaltic pump.

106. (Previously presented) A device according to claim 101 wherein the support hook forms part of an electronic balance for weighing the inlet storage container.

107. (Previously presented) The device according to claim 101 wherein the means for delivering the agent from the refrigerated chamber into the heated incubation chamber comprises a stepper motor for discharging a syringe.